

APPENDICES

List of References

- Armentrout, S., H. Brown, S. Chappell, M. Everett-Brown, J. Fites, J. Forbes, M. McFarland, J. Riley, K. Roby, A. Villalovos, R. Walden, D. Watts, and M.R. Williams. 1998. *Watershed Analysis for Mill, Deer, and Antelope Creeks*. U.S. Department of Agriculture. Lassen National Forest. Almanor Ranger District. Chester, CA. 299 pp.
- Barbour, M. T., J. Gerritsen, B. D. Snyder, and J. B. Stribling. 1999. Rapid Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates and Fish, 2nd Edition. EPA 841-B99-002. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- Barnard, K. 1992. Physical and Chemical Conditions in Coho Salmon (*Oncorhynchus kisutch*) Spawning Habitat in Freshwater Creek, Northern California. Master's Thesis. Humboldt State University. Arcata CA. 81 pp.
- Barnhart, R. A. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest)--steelhead. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.60). U.S. Army Corps of Engineers, TR EL-82-4. 26 pp.
- Bauer, S. B. and S. C. Ralph. 1999. Aquatic habitat indicators and their application to water quality objectives within the Clean Water Act. EPA-910-R-99-014. US Environmental Protection Agency, Region 10, Seattle, WA.
- Brown, L. R., P. B. Moyle, and R. M. Yoshiyama. 1994. Historical Decline and Current Status of Coho Salmon in California. North American Journal of Fisheries Management. 14: 237-261.
- Burns, J.W. 1970. Spawning bed sedimentation studies in northern California streams. California Fish and Game Journal 56 (4): 253-270. 1970.
<http://www.fs.fed.us/psw/publications/4351/Burns70.pdf>
- California Department of Fish and Game. 2003a. California Stream Bioassessment Procedure. Water Pollution Control Laboratory. Rancho Cordova, California.
- California Department of Fish and Game. 2003b. CAMLnet List of California Macroinvertebrate Taxa and Standard Taxonomic Effort. Water Pollution Control Laboratory. Rancho Cordova, California.

- California Department of Fish and Game (CDFG). 2004. California Salmonid Stream Habitat Restoration Manual. Fourth Edition. Inland Fisheries Division. California Department of Fish and Game. Sacramento, CA.
- Caux, P. Y., D. R. J. Moore, and D. MacDonald. 1997. Ambient water quality guidelines (criteria) for turbidity, suspended and benthic sediments: technical appendix. Prepared for the British Columbia Ministry of the Environment and Resource Management Division, Victoria, BC. 82 p.
- Chapman, D. W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. *Transactions of the American Fisheries Society*. Volume 117, No. 1.
- Clean Water Team (CWT) 2004. Turbidity Fact Sheet, FS-3.1.5.0 (Turb). *In: The Clean Water Team Guidance Compendium for Watershed Monitoring and Assessment, Version 2.0*. Division of Water Quality, California State Water Resources Control Board (SWRCB), Sacramento, CA.
- Collison, A., W. Emmingham, F. Everest, W. Hanneberg, R. Martston, D. Tarboton, R. Twiss. 2003. Phase II Report: Independent Scientific Review Panel on Sediment Impairment and Effects on Beneficial Uses of the Elk River and Stitz, Bear, Jordan and Freshwater Creeks. Independent Science Review Panel performed analysis on retainer to the North Coast Regional water Quality Control Board, Santa Rosa, CA.
- Davies-Colley, R. J. and D. G. Smith (2001). Turbidity, suspended sediment, and water clarity: a review. *Journal of the American Water Resources Association* **37**(5): 1085-1100.
- Dunne, T., J. Agee, S. Beissinger, W. Dietrich, D. Gray, M. Power, V. Resh, and K. Rodrigues. 2001. A scientific basis for the prediction of cumulative watershed effects. The University of California Committee on Cumulative Watershed Effects. University of California Wildland Resource Center Report No. 46. June 2001. 107 pp.
- Eads, R. and J. Lewis. 2002. Continuous turbidity monitoring in streams of northwestern California. *In: Turbidity and other sediment surrogates workshop* (ed. by G.D. Glysson & J.R. Gray). 30 April - 02 May 2002, Reno, Nevada. 3 p.
- FEMAT [Forest Ecosystem Management Assessment Team]. 1993. Forest Ecosystem Management: an ecological, economic and social assessment. Report of the Forest Ecosystem Management Assessment Team. 1993-793-071. U.S. Govt. Printing Office.
- Friedrichsen, G. 1998. Eel River water quality monitoring project. Final report. Submitted to State Water Quality Control Board, for 205(J) Contract #5-029-250-2. Humboldt County Resources Conservation District. Eureka, CA. 76 pp.

- Gallo, K. C. Moyer, and S. Lanigan. 2001. Interagency Regional Monitoring - Northwest Forest Plan - Aquatic and Riparian Effectiveness-Monitoring Program. 2001 Pilot Summary Report. U.S. Department of Agriculture Forest Service, Pacific Northwest Regional Office. Bureau of Land Management Oregon State Office. 72 pp.
- Gold Ridge Resource Conservation District (RCD). 2010. Draft Salmon Creek Integrated Coastal Watershed Management Plan. Prunuske Chatham, Inc. 156 p.
- Grant, G. 1988. The RAPID technique: a new method for evaluating downstream effects of forest practices on riparian zones. Gen. Tech. Rep. PNW-GTR-220. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 36 p.
- Guy, H. P. & V. W. Norman 1970. *Field methods for measurement of fluvial sediment*. US Geological Survey Techniques of Water Resources Investigation, Book 3, Chapter C-2.
- Hagans, D. K., W. E. Weaver, and M. A. Madej. 1986. Long term on-site and off-site effects of logging and erosion in the Redwood Creek basin, Northern California. *In: Papers presented at the American Geophysical Union meeting on cumulative effects (1985 December); National Council on Air and Streams, Tech. Bull. No. 490. pp.38-66.*
- Hallock, R. J., G. H. Warner, and D. H. Fry, Jr. 1952. California's part in a three-state salmon fingerling marking program. *Calif. Fish and Game* 38:301-332.
- Harrington, J. 1999. California Stream Bioassessment Procedure: Protocol Brief for Biological and Physical Habitat Assessment of Wadeable Streams. CDFG Aquatic Bioassessment Lab, Rancho Cordoba, CA. 16 p.
- Hem, J. D. 1985. Study and Interpretation of the chemical characteristics of natural water (3rd Ed.). U.S Geological Survey Water-Supply Paper 2254, 263 p.
- Hilton, S., and T. E. Lisle. 1993. Measuring the fraction of pool volume filled with fine sediment. Res. Note PSW-RN-414. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; 11 p.
- Hines, D. H. and J. M. Ambrose. 1998. Evaluation of Stream Temperature Thresholds Based on Coho Salmon (*Oncorhynchus kisutch*) Presence and Absence in Managed Forest Lands in Coastal Mendocino County, California. Georgia Pacific Corporation, Ft. Bragg, CA. 14 p plus Appendices.
- Hopelain, J. 1995. Evaluation of Salmonid Habitat Restoration Structures in Northwestern California Streams Conducted during 1993 and 1995. Unpublished file report. CDFG, Fortuna, CA. 25 p.

Van Duzen Watershed Project

- Humboldt County Resource Conservation District (HCRCD). 1999. Raw Eel River water temperature data collected in 1999 with full metadata. Dbase electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCD). 2000. Raw Eel River water temperature data collected in 2000 with full metadata. Dbase electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCD). 2001. Raw Eel River water temperature data collected in 2001 with full metadata. Dbase electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCD). 2002a. Raw Eel River water temperature data collected in 2002 with full metadata. Access electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCD). 2002b. Van Duzen River *Resource Conservation Strategy Report*. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCD). 2003. Raw Eel River water temperature data collected in 2003 with full metadata. Access electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt Redwood Company (HRC). 2009. Yager-Lawrence watershed analysis cumulative watershed effects. Public Review Draft. Scotia, CA.
- Institute for Fisheries Resources (IFR). 1998. KRIS Coho Database and Map Project. Funded by the Mennen Environmental Foundation, Napa, CA.
- Jones, J.A. and G.E. Grant. 1996. Peak flow response to clear-cutting and roads in small and large basins, Western Cascades, Oregon. *Water Resources Research*, April 1996. Vol. 32, No. 4, Pages 959-974.
- Kelsey, H.M. 1977. Landsliding, channel changes, sediment yield and land use in the Van Duzen river basin, north coastal California, 1941-1975. Ph. D. Thesis. University of California, Santa Cruz. 370 p.
- Kelsey, H. M. 1980. A sediment budget and an analysis of geomorphic processes in the Van Duzen River basin, north coastal California, 1941-1975: Summary. *Geol. Soc. Am. Bull.*, Part I, 91:190-195.
- Kier Associates and National Marine Fisheries Service (NMFS). 2008. Guide to Reference Values used in the Southern Oregon / Northern California Coho Salmon Recovery Conservation Action Planning (CAP) Workbook. National Marine Fisheries Service, Arcata, CA. 29 pp.

- Klein, R. 2003. Duration of turbidity and suspended sediment transport in salmonid-bearing streams, North Coastal California. *A Report to the US Environmental Protection Agency (USEPA). Region IX*. San Francisco, California 94105.
- Klein, R., W. J. Trush, and M. P. E. Buffleben. 2008. Watershed condition, turbidity, and implications for anadromous salmonids in North Coastal California streams. A report to the California North Coast Regional Water Quality Control Board.
- Klein, R., and G.M. Kondolf. 1994. Lower Eel and Van Duzen Rivers: Description of necessary components for development and implementation of river management plan. Report to the County of Humboldt, Planning Department, Eureka, California.
- Knopp, C. 1993. Testing indices of cold water fish habitat. Final report for development of techniques for measuring beneficial use protection and inclusion into the North Coast Region's Basin Plan by Amendment of the.....Activities, September 18, 1990. North Coast Regional Water Quality Control Board in cooperation with California Department of Forestry . 57 pp.
- Kondolf, G. M. 2000. Assessing salmonid spawning gravel quality. *Trans. Am. Fish. Soc.* 129:262-281
- Kramer, S. H., M. Trso, and N. Hume. 2001. Timber harvest and sediment loads in nine northern California watersheds based on recent total maximum daily load (TMDL) studies. *Watershed Management Council Networker* 10: 17-24.
- Lewis, J. 1996. Turbidity-controlled suspended sediment sampling for runoff-event load estimation. *Water Resources Research* 32(7): 2299-2310.
- Lewis, J. 2003. Turbidity-controlled sampling for suspended sediment load estimation. In: Bogen, J. Tharan Fergus and Des Walling (eds.), *Erosion and Sediment Transport Measurement in Rivers: Technological and Methodological Advances (Proc. Oslo Workshop, 19-20 June 2002)*. IAHS Publ. 283: 13-20.
- Lewis, J. and R. Eads. 2008. Implementation guide for turbidity threshold sampling: principles, procedures, and analysis. *Gen. Tech. Rep. PSW-GTR-212*. Arcata, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station.
- Lewis, J., R. Eads., and R. Klein. 2007. Comparisons of Turbidity Data Collected with Different Instruments. Report on a Cooperative Agreement Between the California Department of Forestry and Fire Protection and USDA Forest Service--Pacific Southwest Research Station (PSW Agreement # 06-CO-11272133-041).

Van Duzen Watershed Project

- MacDonald, L.H., Smart, A.W., and Wissmar, R.F. 1991. *Monitoring Guidelines to Evaluate Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska*. Seattle, University of Washington.
- McCammon, B. 1993. *Determining the risk of cumulative watershed effects resulting from multiple activities - Endangered Species Act Section 7*. Unpublished. U S. Department of Agriculture, Forest Service, Portland, Oregon.
- McHenry, M. L., D. C. Morrill, and E. Currence. 1994. *Spawning gravel quality, watershed characteristics and early life history survival of coho salmon and steelhead in five North Olympic Peninsula watersheds*. Washington Department of Ecology. Port Angeles, WA . 59 pp.
- McNeil, W. J. and W. H. Ahnell. 1964. *Success of Pink Spawning Relative to Size of Spawning Bed Material*. U.S. Fish and Wildlife Service, Special Scientific Report - Fisheries No. 469. Washington, D.C. 17 p.
- Mendocino Resource Conservation District (MRCD). 1994. *Handbook for Forest and Ranch Roads*. Fort Bragg, CA.
- Mensch, J., R. Nebon, S. Mansfield, and D. Tuttle. 1977. *Van Duzen River waterway management plan*. *CA Resources Agency*, Department Fish & Game. 65 p.
- Montgomery, D. R. and J. M. Buffington, 1993. *Channel classification, prediction of channel response, and assessment of channel condition*. TFW-SH10-93-002. Prepared for the SHAMW committee of the Washington State Timber/Fish/Wildlife Agreement. Seattle, WA. 110 pp.
- National Marine Fisheries Service (NMFS) 1995. *Endangered Species Act Section 7 Biological Opinion on the Land and Resource Management Plans for the Boise, Challis, Nez Perce, Payette, Salmon, Sawtooth, Umatilla, and Wallowa-Whitman National Forests*. Memo to USFS Regional Foresters on March 1, 1995. NMFS, National Oceanic and Atmospheric Administration, Northwest Region, Seattle, WA. 138 p.
- National Marine Fisheries Service (NMFS). 1996. *Coastal Salmon Conservation: Working Guidance for Comprehensive Salmon Restoration Initiatives on the Pacific Coast*. 5 pp.
- Natural Resources Conservation Service. 1999. *Lower Van Duzen River corridor general scoping and needs assessment*.
- Nawa, R. K. and C. A. Frissell. 1993. *Measuring scour and fill of gravel stream beds with scour chains and sliding bead monitors*. No. American J. of Fisheries Management. 13: 634-639.
- Newcombe, C.P. 2003. *Impact Assessment Model for Clear Water Fishes Exposed to Excessively Cloudy Water*. J. Am. Water Resources Asso. Pages 529 – 544.

Van Duzen Watershed Project

- Newcombe, C.P. and D.D. MacDonald. 1991. Effects of Suspended Sediments on Aquatic Ecosystems. *North American Journal of Fisheries Management*. 11: 72-82.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2002. Mattole River Watershed: Technical Support Document for the Total Maximum Daily Load for Sediment and Technical Support Document for the Total Maximum Daily Load for Temperature. Appendix I: Tectonic uplift and mass wasting in the Mattole watershed.
- North Coast Regional Water Quality Control Board. 2006. Desired Salmonid Freshwater Habitat Conditions for Sediment Related Indices. NCRWQCB, Santa Rosa, CA. 60 p.
- North Coast Regional Water Quality Control Board, 2007. Water Quality Control Plan for the North Coast Region. Santa Rosa, California.
- Oregon Department of Environmental Quality (ODEQ). 2005. Draft Technical Basis for Revising Turbidity Criteria. October 2005. By Tom Rosetta, ODEQ Watershed Assessment Lab, Portland, OR. 129 p.
- Overton, C. K., M. A. Radko, and R. L. Nelson. 1993. Fish habitat conditions: using the Northern/Intermountain Region's inventory procedures for detecting differences on two differently managed watersheds. Gen. Tech. Rep. INT-300. US Department of Agriculture, Forest Service, Intermountain Research Station. Ogden, UT. 14 pp.
- Pacific Lumber Company (PL). 1998. Sustained yield plan/habitat conservation plan: watershed and fish-and wildlife assessments. Volume II, Public Review Draft. Scotia, CA.
- Pacific Lumber Company (PL). 1999. Habitat conservation plan for the properties of the Pacific Lumber Company, Scotia Pacific Holding Company, and Salmon Creek Corporation. Scotia, CA.
- Pacific Lumber Company (PL). 2001. Freshwater Creek Watershed Analysis. Pacific Lumber Company, Scotia, CA.
- Pacific Watershed Associates (PWA). 1998. Sediment Source Investigation and Sediment Reduction Plan for the Bear Creek Watershed, Humboldt County, California. Prepared for The Pacific Lumber Company Scotia, California. Arcata, California. 57 pp.
- Pacific Watershed Associates. 1999. Sediment source investigation for the Van Duzen River watershed. Prepared for *Tetra Tech, Inc. and the U.S. Environmental Protection Agency*. Arcata, CA.

- Peterson, N. P., A. Hendry, and T. P. Quinn. 1992. Assessment of cumulative effects on salmonid habitat: Some suggested parameters and target conditions. Prepared for the Washington State Dept. of Natural Resources under the Timber, Fish, and Wildlife Agreement TFW-F3-92-001.
- Plafkin, J. L., M. T. Barbour, K. D. Porter, S. K. Gross, and R. M. Hughes. 1989. Rapid Bioassessment Protocols for Use in Streams and Rivers. Benthic Macroinvertebrates and Fish. EPA 440-4-89-001. Office of Water Regulation and Standards, U.S. Environmental Protection Agency, Washington, D.C.
- Poole, G. C., and C. H. Berman. 2000. Pathways of Human Influence on Water Temperature Dynamics in Stream Channels. U.S. Environmental Protection Agency, Region 10. Seattle, WA. 20 p.
- Reeves, G. H., F. H. Everest, and T. E. Nickelson. 1989. Identification of physical habitats limiting the production of coho salmon in western Oregon and Washington. Gen. Tech. Rep. PNW-GTR-245. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 18 p.
- Reeves, G. H., F. H. Everest, and J. R. Sedell. 1993. Diversity of Juvenile Anadromous Salmonid Assemblages in Coastal Oregon Basins with Different Levels of Timber Harvest. *Transactions of the American Fisheries Society*. 122(3): 309-317.
- Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson, and J.R. Sedell. 1995. A Disturbance-Based Ecosystem Approach to Maintaining and Restoring Freshwater Habitats of Evolutionarily Significant Units of Anadromous Salmonids in the Pacific Northwest. *American Fisheries Society Symposium* 17:334-349, 1995.
- Reeves, G. H., K. M. Burnett, and E. V. McGarry. 2003. Sources of large wood in the main stem of a fourth-order watershed in coastal Oregon. *Can. J. For. Res.* 33: 1363–1370.
- Rehn, A. C, P. R. Ode, and J. T. May. 2005. Development of a benthic index of biotic integrity (B-IBI) for wadeable streams in northern coastal California and its application to regional 305(b) assessment. DRAFT REPORT, California Dept. of Fish and Game Aquatic Bioassessment Lab. Rancho Cordova, CA.
- Richards, A. B and D. C. Rogers. 2006. List of Macroinvertebrate Taxa from California and Adjacent States and Ecoregions; and Standard Taxonomic Effort. (First circulating draft). Southwestern Association of Freshwater Macroinvertebrate Taxonomists.
- Satterlund, D. R. and P. W. Adams. 1992. *Wildland Watershed Management*. 2nd edition. John Wiley and Sons Inc., New York.

- Sedell, J. R., P. A. Bisson, E. J. Swanson, and S. V. Gregory. 1988. What we know about large trees that fall into streams and rivers. Pages 47-81 in C. Maser, R. F. Tarrant, J. M. Trappe, and J. E. Franklin, *From the forest to the sea: a story of fallen trees*. U.S. Forest Service General Technical Report PNW-GTR-229.
- Shirazi, M. A., and W. K. Seim. 1979. A stream system evaluation - an emphasis on spawning habitat for salmonids. U.S. Environmental Protection Agency, EPA -600/3-79-109. Corvallis Research Laboratory. Corvallis, OR. 36 p.
- Sigler, J. W., T. C. Bjornn and F. H. Everest. 1984. Effects of Chronic Turbidity on Density of Steelheads and Coho Salmon. *Transactions of the American Fisheries Society*, 113: 142-150.
- Spence, B.C., G.A. Lomnicky, R.M. Hughes and R. P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Funded jointly by the U.S. EPA, U.S. Fish and Wildlife Service and National Marine Fisheries Service. TR-4501 96-6057. Man. Tech. Environmental Research Services Corp., Corvallis, OR. 356 p.
- Sullivan, K., D. J. Martin, R. D. Cardwell, J. E. Toll, and S. Duke. 2000. An analysis of the effects of temperature on salmonids of the Pacific Northwest with implications for selecting temperature criteria. Sustainable Ecosystems Institute . Portland, OR. 192 pp.
- Swanson, F. J., S.L. Johnson, S. V. Gregory and S. A. Acker. 1998. Flood disturbance in a forested mountain landscape. *Bioscience* 48: 681-689.
- Tetra Tech, Inc. 2002a. Van Duzen River watershed analysis – public review draft. Prepared for the Pacific Lumber Company.
- Tetra Tech, Inc. 2002b. Van Duzen River watershed analysis – final report. Prepared for the Pacific Lumber Company.
- Trush, W. J. 2005. Chronic turbidity and stream flow diversion effects on salmon habitat loss. Citizens for Responsible Forest Management. Healthy Rivers, Happy Fish Watershed Conference - Valley Women's Club of SLV Lompico Watershed Conservancy. Santa Cruz, CA.
- U.S. Environmental Protection Agency (USEPA). 1986. Quality Criteria for Water. EPA 440/5-86-001. *U.S. Government Printing Office, Washington, D.C.*
- U.S. Environmental Protection Agency (USEPA). 1998. Total maximum daily loads for sediment, Redwood Creek, CA. 54 p.
- U.S. Environmental Protection Agency (USEPA). 1999. Van Duzen River and Yager Creek Total Maximum Daily Load for Sediment. *EPA Publication. Region IX.*

Van Duzen Watershed Project

- U.S. Forest Service (USFS). 1996. Status of the Interior Columbia Basin: summary of scientific findings. Gen. Tech. Rep. PNW GTR-385. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station; U.S. Department of the Interior, Bureau of Land Management. 144 p.
- U.S. Forest Service (USFS). 1998a. Elk River watershed analysis. Iteration 2.0. USFS, Pacific Northwest Region. Siskiyou National Forest. Powers Ranger District. Powers, OR. 192 pp.
- U.S. Forest Service (USFS). 1998b. Van Duzen Watershed Analysis. Six Rivers National Forest. Eureka, CA.
- Van Kirk, S. 1996. Compendium of excerpts of newspaper articles from 1852-1949 regarding fisheries, rivers, and land use. On file in the Humboldt Room of the Library, Humboldt State University.
- Welsh, H. H., G. R. Hodgson, M. F. Roche, B. C. Harvey. 2001. Distribution of Juvenile Coho Salmon (*Oncorhynchus kisutch*) in Relation to Water temperature in Tributaries of a Northern California Watershed: Determining Management Thresholds for an Impaired Cold-water Adapted Fauna. August 2000 North American Journal of Fisheries Management. U.S.D.A. Forest Service, Redwood Sciences.
- Winzler and Kelly Engineers. 1980. Yager Creek Fishery Habitat Investigation, Humboldt County, CA. Performed under contract to Pacific Lumber Co. Winzler and Kelly Engineers, Eureka, CA.
- Wisseman, R. W. 1996. Benthic Invertebrate Biomonitoring and Bioassessment in Western Montane Streams. Aquatic Biology Associates, Inc., Corvallis, Oregon.
- Yount, J.D., and G.J. Niemi. 1990. Recovery of lotic communities and ecosystems from disturbance – a narrative review of case studies. *Environmental Management* 14(5):547-569.