

Chapter 8

References Cited

- Armentrout, S., H. Brown, S. Chappell, M. Everett-Brown, J. Fites, J. Forbes, M. McFarland, J. Riley, K. Roby, A. Villalovos, R. Walden, D. Watts, and M.R. Williams. 1998. *Watershed Analysis for Mill, Deer, and Antelope Creeks*. U.S. Department of Agriculture. Lassen National Forest. Almanor Ranger District. Chester, CA. 299 pp.
- Ahnert, F. 1970. Functional relationships between denudation, relief, and uplift in large mid latitude drainage basins. *American Journal of Science* 268: 243-263.
- Barbour, M. T., J. Gerritsen, B. D. Snyder, and J. B. Stribling. 1999. *Rapid Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates and Fish*, 2nd Edition. EPA 841-B99-002. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- Barnard, K. 1992. Physical and Chemical Conditions in Coho Salmon (*Oncorhynchus kisutch*) Spawning Habitat in Freshwater Creek, Northern California. Masters Thesis. Humboldt State University. Arcata CA. 81 pp.
- Barnhart, R. A. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest)--steelhead. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.60). U.S. Army Corps of Engineers, TR EL-82-4. 26 pp.
- Bartholow, J. M. 1989. Stream temperature investigations: Field and analytic methods. *Instream Flow Information Paper No. 13*. U.S. Fish Wildl. Serv. Biol. Rep. 89(17). 139 pp.
- Bauer, S. B. and S. C. Ralph. 1999. Aquatic habitat indicators and their application to water quality objectives within the Clean Water Act. EPA-910-R-99-014. US Environmental Protection Agency, Region 10, Seattle, WA.
- Bell, C. 2007. Final Report: Garcia River Watershed Restoration Planning and Coordination. Prepared for the California Department of Fish and Game. Agreement # P0430412. Garcia River Watershed Restoration Coordinator, Gualala, CA. 52 p.
- Benda, L. E. 1994. Stochastic geomorphology in a humid mountain landscape. Doctoral dissertation. University of Washington, Seattle, WA.
- Berrill, J. P. and K. L. O'Hara. 2003. Predicting multi-aged coast redwood stand growth and yield using leaf area allocation. A Report Prepared for the CA Department of Forestry and fire Protection. Berkeley, CA.

Chapter 8: List of References

- Beschta, R. L. 1991. Stream habitat management for fish in the northwestern United States: the role of riparian vegetation. *Am. Fish. Soc. Symp.* 10:53-58.
- Blake, M. C., A. S. Jayko, and R. J. McLaughlin. 1985. "Tectonostratigraphic terranes of the Northern Coast Ranges, California," in D.G. Howell (editor), *Tectonostratigraphic terranes of the Circum-Pacific Region*. Circum-Pacific Council for Energy and Mineral Resources Earth Science Series 1. P. 159-171. Houston: Circum-Pacific Council for Energy and Mineral Resources.
- Bradbury, B., W. Nehlsen, T. E. Nickelson, K. M. S. Moore, R. M. Hughes, D. Heller, J. Nicholas, D. L. Bottom, W. E. Weaver, and R. L. Beschta. 1995. Handbook for prioritizing watershed protection and restoration to aid recovery of native salmon. Portland, OR. 49 pp.
- Brown, L. R. and P. B. Moyle. 1991. Status of Coho Salmon in California. Report to the National Marine Fisheries Service, Long Beach, CA. Department of Wildlife and Fisheries Biology, University of California, Davis, CA.
- Brown, L. R., P. B. Moyle, and R. M. Yoshiyama. 1994. Historical Decline and Current Status of Coho Salmon in California. *North American Journal of Fisheries Management*. 14(2):237-261.
- Burnett, K.M., G.H. Reeves, D.J. Miller, S. Clarke, K. Vance-Borland, and K. Christiansen. 2007. Distribution of Salmon-Habitat Potential Relative to Landscape Characteristics and Implications for Conservation. *Ecological Applications*. 17(1):66-80.
- Burns, J.W. 1970. Spawning bed sedimentation studies in northern California streams. *California Fish and Game Journal* 56 (4) :253-270. 1970.
- Bons, C. A. 1990. Accelerated erosion due to clearcutting of plantation forest and subsequent Taungya cultivation In upland West-Java, Indonesia. *Research Needs and Applications to Reduce Erosion and Sedimentation In Tropical Steeplands (Proceedings of the Fiji Symposium, June 1990): IAHS-AISH Publ. No. 192.*
- California Department of Fish and Game (CDFG). 1956. Report of dissolved oxygen analysis, Yager Creek, Jack Olsen logging show at mouth of Butte Creek. Memo from CDFG biologist Ralph McCormick, Eureka, CA.
- California Department of Fish and Game (CDFG). 1961. Cooper Mill Gulch stream survey. Unpublished CDFG memo, Eureka, CA. 2 p.
- California Department of Fish and Game (CDFG). 1964. Yager Creek stream survey. Unpublished CDFG memo, Eureka, CA. 2 p.

Chapter 8: List of References

California Department of Fish and Game (CDFG). 1972. Lower Yager Creek stream survey. Unpublished CDFG memo, Eureka, CA. 2 p.

California Department of Fish and Game (CDFG). 1980. Wolverton Gulch stream survey. Unpublished CDFG memo, Eureka, CA. 1 p.

California Department of Fish and Game (CDFG). 1998. California Salmonid Stream Habitat Restoration Manual. 3rd edition. Sacramento, CA. <http://www.dfg.ca.gov/nafwb/manual.html>

California Department of Fish & Game. 1991. Stream Inventory Report, Middle Fork Yager Creek Habitat monograph.

California Department of Fish and Game (CDFG). 2002. Status Review of California Coho Salmon North of San Francisco . Report to the California Fish and Game Commission. California Department of Fish and Game, Sacramento , CA. 336pp.

California Department of Fish and Game. 2003a. California Stream Bioassessment Procedure. Water Pollution Control Laboratory. Rancho Cordova, California.

California Department of Fish and Game. 2003b. CAMLnet List of California Macroinvertebrate Taxa and Standard Taxonomic Effort. Water Pollution Control Laboratory. Rancho Cordova, California.

California Department of Fish and Game (CDFG). 2004. California Salmonid Stream Habitat Restoration Manual. Fourth Edition. Inland Fisheries Division. California Department of Fish and Game. Sacramento, CA.

California Department of Fish and Game (CDFG). 2007a. Cummings Creek 2006 Stream Inventory Report. CDFG, Fortuna, CA. 37 p.

California Department of Fish and Game (CDFG). 2007b. Creek 2006 Stream Inventory Report. CDFG, Fortuna, CA. 37 p.

California Department of Fish and Game (CDFG). 2007c. Hely Creek 2006 Stream Inventory Report. CDFG, Fortuna, CA. 39 p.

California Department of Fish and Game (CDFG). 2007d. Lawrence Creek 2006 Stream Inventory Report. CDFG, Fortuna, CA. 34 p.

California Department of Fish and Game (CDFG). 2007e. Stevens Creek 2006 Stream Inventory Report. CDFG, Fortuna, CA. 34 p.

California Department of Fish and Game (CDFG). 2007f. Unnamed Tributary to Grizzly Creek 2006 Stream Inventory Report. CDFG, Fortuna, CA. 32 p.

Chapter 8: List of References

- California Department of Fish and Game (CDFG). 2007g. North Fork Yager Creek 2006 Stream Inventory Report. CDFG, Fortuna, CA. 32 p.
- California Department of Fish and Game (CDFG). 2007h. South Fork Yager Creek 2006 Stream Inventory Report. CDFG, Fortuna, CA. 32 p.
- California Department of Fish and Game (CDFG). 2009. Excel database of Eel River Chinook salmon and coho salmon carcass and spawner counts for the years 2002-2009. CDFG, Fortuna, CA.
- California Department of Fish and Game (CDFG). 2010. Assessment Strategies. Coastal Watershed Program Website. CDFG, Fortuna, CA.
<http://coastalwatersheds.ca.gov/AboutAssessment/AssessmentStrategies/tabid/256/Default.aspx>.
- California Department of Water Resources (CDWR). 1976. Van Duzen River Basin Environmental Atlas. Prepared in cooperation with Humboldt County.
- California State Water Board. 2008. Strategic plan update 2008 – 2012. California Water Resources Control Board.
- Canatta, S. Personal Communication. CDFG Biologist, Fortuna, CA.
- Caux, P. Y., D. R. J. Moore, and D. MacDonald. 1997. Ambient water quality guidelines (criteria) for turbidity, suspended and benthic sediments: technical appendix. Prepared for the British Columbia Ministry of the Environment and Resource Management Division, Victoria, BC. 82 p.
- Chapman, D. W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. *Transactions of the American Fisheries Society*. Volume 117, No. 1.
- Chatwin, S. C., D.E. Howes, J.W. Schwab, and D.N. Swanston. 1994. A Guide for Management of Landslide-Prone Terrain in the Pacific Northwest. Crown Publications Inc., 546 Yates Street, Victoria B.C. V8W 1K8. 2nd Edition.
- Chipping, D. H. 1999. CNPS Manual on the HCP-NCCP Process. *California Native Plant Society*, Public Release, Edition 2.
- Clean Water Team (CWT) 2004. Turbidity Fact Sheet, FS-3.1.5.0 (Turb). *In: The Clean Water Team Guidance Compendium for Watershed Monitoring and Assessment, Version 2.0. Division of Water Quality, California State Water Resources Control Board (SWRCB), Sacramento, CA.*

Chapter 8: List of References

- Collison, A., W. Emmingham, F. Everest, W. Hanneberg, R. Martston, D. Tarboton, R. Twiss. 2003. Phase II Report: Independent Scientific Review Panel on Sediment Impairment and Effects on Beneficial Uses of the Elk River and Stitz, Bear, Jordan and Freshwater Creeks. Independent Science Review Panel performed analysis on retainer to the North Coast Regional water Quality Control Board, Santa Rosa, CA.
- The Conservation Fund. 2006. Garcia River Forest Integrated Resource Management Plan. Larkspur, California.
- Davies-Colley, R. J. and D. G. Smith (2001). Turbidity, suspended sediment, and water clarity: a review. *Journal of the American Water Resources Association* **37**(5): 1085-1100.
- Dietrich, W. E., R. R de Asua, J. Coyle, B. Orr, and M. Trso. 1998. A validation study of the shallow slope stability model, SHALSTAB, in forested lands of Northern California. Stillwater Ecosystem, Watershed & Riverine Sciences. Berkeley, CA. 59 pp.
- Dunne, T., J. Agee, S. Beissinger, W. Dietrich, D. Gray, M. Power, V. Resh, and K. Rodrigues. 2001. A scientific basis for the prediction of cumulative watershed effects. The University of California Committee on Cumulative Watershed Effects. University of California Wildland Resource Center Report No. 46. June 2001. 107 pp.
- Eads, R. and J. Lewis. 2002. Continuous turbidity monitoring in streams of northwestern California. *In: Turbidity and other sediment surrogates workshop* (ed. by G.D. Glysson & J.R. Gray). 30 April - 02 May 2002, Reno, Nevada. 3 p.
- FEMAT [Forest Ecosystem Management Assessment Team]. 1993. Forest Ecosystem Management: an ecological, economic and social assessment. Report of the Forest Ecosystem Management Assessment Team. 1993-793-071. U.S. Govt. Printing Office.
- Flosi, G., S. Downie, J. Hopelain, M. Bird, R. Coey, and B Collins. 1998. California Salmonid Stream Habitat Restoration Manual, 3rd edition. *California Department of Fish and Game, Sacramento, California.*
- Friedrichsen, G. 1998. Eel River water quality monitoring project. Final report. Submitted to State Water Quality Control Board, for 205(J) Contract #5-029-250-2. Humboldt County Resources Conservation District. Eureka, CA. 76 pp.
- Frissell, C. and R. Nawa. 1992. Incidence and causes of physical failure of artificial habitat structures in streams of Western Oregon and Washington. *North American Journal of Fisheries Management* 12:182-197.

Chapter 8: List of References

- Gallo, K. C. Moyer, and S. Lanigan. 2001. Interagency Regional Monitoring - Northwest Forest Plan - Aquatic and Riparian Effectiveness-Monitoring Program. 2001 Pilot Summary Report. U.S. Department of Agriculture Forest Service, Pacific Northwest Regional Office. Bureau of Land Management Oregon State Office. 72 pp.
- Gold Ridge Resource Conservation District (RCD). 2010. Draft Salmon Creek Integrated Coastal Watershed Management Plan. Prunuske Chatham, Inc. 156 p.
- Golet, G. H., D. L. Brown, E. E. Crone, G. R. Geupel, S. E. Greco, K. D. Holl, D. E. Jukkola, G. M. Kondolf, E. W. Larsen, F. K. Ligon, R. A. Luster, M. P. Marchetti, N. Nur, B. K. Orr, D. R. Peterson, M. E. Power, W.E. Rainey, M. D. Roberts, J. G. Silveira, S. L. Small, J. C. Vick, D. S. Wilson, and D. M. Wood. 2003. Using science to evaluate restoration efforts and ecosystem health on the sacramento river project, California. In: P.M. Faber (ed.) Proceedings California Riparian Systems: Processes and Floodplains Conference. Riparian Habitat Joint Venture, Sacramento, CA.
- Good, T. P., R. S. Waples & P. B. Adams. 2005. Updated status of federally listed ESUs of West Coast salmon and steelhead. U.S. Department of Commerce, NOAA Technical Memorandum, NMFS-NWFSC-66. 598 pp.
- Graham Matthews and Associates (GMA). 1999. Sediment Source Analysis and Preliminary Sediment Budget for the Noyo River. Prepared for: Tetra Tech, Inc. under contract 68-C7-0018, work assignment # 0-18. GMA, Weaverville, CA.
- Graham Matthews and Associates (GMA). 2000. Sediment source analysis and preliminary sediment budget for the Ten Mile River, Mendocino County, CA. Prepared by GMA for Tetra Tech, Inc. Fairfax, VA.
- Graham Matthews and Associates (GMA). 2001. Preliminary Sediment Budget Analysis for the Big River. Performed under contract for Tetra Tech and the U.S. EPA. Graham Matthews and Associates, Weaverville, CA.
- Grant, G. 1988. The RAPID technique: a new method for evaluating downstream effects of forest practices on riparian zones. Gen. Tech. Rep. PNW-GTR-220. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 36 p.
- Gregory, S. V., F. J. Swanson, W. A. McKee, and K. W. Cummins. 1991. An ecosystem perspective of riparian zones. *BioScience* 41(8):540-551.
- Groot, C. and L. Margolis (eds). 1991. Pacific salmon life histories. University of British Columbia Press, Vancouver, B. C.
- Guy, H. P. & V. W. Norman 1970. *Field methods for measurement of fluvial sediment*. US Geological Survey Techniques of Water Resources Investigation, Book 3, Chapter C-2.

Chapter 8: List of References

- Hagans, D. K., W. E. Weaver, and M. A. Madej. 1986. Long term on-site and off-site effects of logging and erosion in the Redwood Creek basin, Northern California. *In: Papers presented at the American Geophysical Union meeting on cumulative effects (1985 December); National Council on Air and Streams, Tech.Bull.No. 490. pp.38-66.*
- Hallock, R. J., G. H. Warner, and D. H. Fry, Jr. 1952. California's part in a three-state salmon fingerling marking program. *Calif. Fish and Game* 38:301-332.
- Hard, J. J., R. P. Jones, Jr., M. R. Delarm, and R. S. Waples. 1992, Pacific salmon and artificial propagation under the Endangered Species Act. US Department of Commerce, National Marine Fisheries Service, Technical Memorandum NMFS-NWFSC-2, Seattle, WA.
- Hare, S. R., Mantua, N. J., Francis, R. C. 1999. Inverse production regimes: Alaska and the west coast Pacific salmon. *Fisheries*, Vol. 24 (1): 6-14.
- Harr, R. D. and R. A. Nichols. 1993. Stabilizing forest roads to help restore fish habitats: A northwest Washington example. *Fisheries* 18(4): 18-22.
- Harrington, J. 1999. California Stream Bioassessment Procedure: Protocol Brief for Biological and Physical Habitat Assessment of Wadeable Streams. CDFG Aquatic Bioassessment Lab, Rancho Cordoba, CA. 16 p.
- Hem, J. D. 1985. Study and Interpretation of the chemical characteristics of natural water (3rd ed.). U.S Geological Survey Water-Supply Paper 2254, 263 p.
- Higgins, P. T., S. Dobush, and D. Fuller. 1992. Factors in Northern California Threatening Stocks with Extinction. Humboldt Chapter of American Fisheries Society. Arcata, CA. 25 p.
- Higgins, P. T. 1992. Analysis of Eel River estuary habitat types and fishes and changes over time. Performed under contract to Redwood Community Action Agency and Oscar Larson and Associates, Consulting Fisheries Biologist, Arcata, CA.
- Higgins, P.T. 2010. Evaluation of the Effectiveness of Potter Valley Project National Marine Fisheries Service Reasonable and Prudent Alternative (RPA): Implications for the Survival and Recovery of Eel River Coho Salmon, Chinook Salmon, and Steelhead Trout. Friends of Eel River. Sausalito, CA. 54 p.
- Hilton, S., and T. E. Lisle. 1993. Measuring the fraction of pool volume filled with fine sediment. Res. Note PSW-RN-414. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; 11 p.
- Hines, D. H. and J. M. Ambrose. 1998. Evaluation of Stream Temperature Thresholds Based on Coho Salmon (*Oncorhynchus kisutch*) Presence and Absence in Managed Forest Lands in Coastal Mendocino County, California. Georgia Pacific Corporation, Ft. Bragg, CA. 14 p plus Appendices.

Chapter 8: List of References

- Hopelain, J. 1995. Evaluation of Salmonid Habitat Restoration Structures in Northwestern California Streams Conducted during 1993 and 1995. Unpublished file report. CDFG, Fortuna, CA. 25 p.
- Humboldt County Resource Conservation District (HCRCDD). 1999. Raw Eel River water temperature data collected in 1999 with full metadata. Dbase electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCDD). 2000. Raw Eel River water temperature data collected in 2000 with full metadata. Dbase electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCDD). 2001. Raw Eel River water temperature data collected in 2001 with full metadata. Dbase electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCDD). 2002a. Raw Eel River water temperature data collected in 2002 with full metadata. Access electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCDD). 2002b. Van Duzen River *Resource Conservation Strategy Report*. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCDD). 2003. Raw Eel River water temperature data collected in 2003 with full metadata. Access electronic database. Humboldt County Resources Conservation District. Eureka, CA.
- Humboldt County Resource Conservation District (HCRCDD). 2010. Salt River ecosystem restoration project. Draft Environmental Impact Report.
- Humboldt Redwood Company (HRC). 2009. Yager-Lawrence watershed analysis cumulative watershed effects. Public Review Draft. Scotia, CA.
- Institute for Fisheries Resources (IFR). 1998. KRIS Coho Database and Map Project. Funded by the Mennen Environmental Foundation, Napa, CA.
- Irwin, W. P. 1997. Preliminary map of selected post-Nevadan geologic features of the Klamath Mountains and adjacent areas, California and Oregon: A digital database: U.S. Geological Survey Open-File Report 97-465.
- Jones, J.A. and G.E. Grant. 1996. Peak flow response to clear-cutting and roads in small and large basins, Western Cascades, Oregon. *Water Resources Research*, April 1996. Vol. 32, No. 4, Pages 959-974.

Chapter 8: List of References

- Kauffman, J. B., R. L. Beschta, N. Otting, and D. Lytjen. 1997. An Ecological Perspective of Riparian and Stream Restoration in the Western United States. *Fisheries* 22(5):12-24.
- Keller, E. A., A. MacDonald, T. Tally, and N. J. Merrit. 1995. Effects of large organic debris on channel morphology and sediment storage in selected tributaries of Redwood Creek, northwestern California. Pages P1-P29, in: Nolan, K.M., H.M. Kelsey, and D.C. Marron, eds., *Geomorphic processes and aquatic habitat in the Redwood Creek basin, northwestern California*. U.S. Geological Survey Professional Paper 1454 . Washington, DC. 34 pp.
- Kelsey, H.M. 1977. Landsliding, channel changes, sediment yield and land use in the Van Duzen river basin, north coastal California, 1941-1975. Ph. D. Thesis. University of California, Santa Cruz. 370 p.
- Kelsey, H. M. 1980. A sediment budget and an analysis of geomorphic processes in the Van Duzen River basin, north coastal California, 1941-1975: Summary. *Geol. Soc. Am. Bull.*, Part I, 91:190-195.
- Kier Associates and National Marine Fisheries Service (NMFS). 2008. Guide to Reference Values used in the Southern Oregon / Northern California Coho Salmon Recovery Conservation Action Planning (CAP) Workbook. National Marine Fisheries Service, Arcata, CA. 29 pp.
- Klein, R. 2003. Duration of turbidity and suspended sediment transport in salmonid-bearing streams, North Coastal California. *A Report to the US Environmental Protection Agency (USEPA). Region IX*. San Francisco, California 94105.
- Klein, R., W. J. Trush, and M. P. E. Buffleben. 2008. Watershed condition, turbidity, and implications for anadromous salmonids in North Coastal California streams. A report to the California North Coast Regional Water Quality Control Board.
- Klein, R., and G.M. Kondolf. 1994. Lower Eel and Van Duzen Rivers: Description of necessary components for development and implementation of river management plan. Report to the County of Humboldt, Planning Department, Eureka, California.
- Knopp, C. 1993. Testing indices of cold water fish habitat. Final report for development of techniques for measuring beneficial use protection and inclusion into the North Coast Region's Basin Plan by Amendment of the.....Activities, September 18, 1990. North Coast Regional Water Quality Control Board in cooperation with California Department of Forestry . 57 pp.
- Kondolf, G.M. 1993. The reclamation concept in regulation of gravel mining in California. *Journal of Environmental Planning and Management* 36:397-409.

Chapter 8: List of References

- Kondolf, G.M. 1994a. Geomorphic and environmental effects of instream gravel mining. *Landscape and Urban Planning* 28:225-243.
- Kondolf, G.M. 1994b. Environmental planning in the regulation and management of instream gravel mining in California. *Landscape and Urban Planning* 29:185-199.
- Kondolf, G.M. 1995. Managing bedload sediments in regulated rivers: Examples from California, USA. *Geophysical Monograph* 89:165-176.
- Kondolf, G.M. 1997. Hungry water: Effects of dams and gravel mining on river channels. *Environmental Management* 21(4):533-551.
- Kondolf, G. M. 2000. Assessing salmonid spawning gravel quality. *Trans. Am. Fish. Soc.* 129:262-281
- Kramer, S. H., M. Trso, and N. Hume. 2001. Timber harvest and sediment loads in nine northern California watersheds based on recent total maximum daily load (TMDL) studies. *Watershed Management Council Networker* 10: 17-24.
- Kroeber, W. L. 1976. *Handbook of the Indians of California*. Dover Publications, Inc. New York.
- Kubicek, P. F. 1977. Summer water temperature conditions in the Eel River system with reference to trout and salmon. Masters thesis, Humboldt State University, Arcata, Ca.
- Lee, J. 2007. Unpublished Benthic Macroinvertebrate Sampling in the Van Duzen River Watershed. Van Duzen Watershed Project. Friends of the Eel River, Sausalito, CA 7 p.
- Leeder, M. R. 1991. Denudation, vertical crustal movements, and sedimentary basin infill. *Geol. Rundsch.* 80:441-458.
- Lewis, J. 1996. Turbidity-controlled suspended sediment sampling for runoff-event load estimation. *Water Resources Research* 32(7): 2299-2310.
- Lewis, J. 2003. Turbidity-controlled sampling for suspended sediment load estimation. In: Bogen, J. Tharan Fergus and Des Walling (eds.), *Erosion and Sediment Transport Measurement in Rivers: Technological and Methodological Advances (Proc. Oslo Workshop, 19-20 June 2002)*. IAHS Publ. 283: 13-20.
- Lewis, J. and R. Eads. 2001. Turbidity threshold sampling for suspended sediment load estimation. In: *Proceedings, 7th Federal Interagency Sedimentation Conference, 25-29 Mar 2001, Reno, Nevada*.

Chapter 8: List of References

- Lewis, J. and R. Eads. 2008. Implementation guide for turbidity threshold sampling: principles, procedures, and analysis. *Gen. Tech. Rep. PSW-GTR-212*. Arcata, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station.
- Lewis, J., and E. T. Keppeler. 2007. Trends in streamflow and suspended sediment after logging, North Fork Caspar Creek. USDA Forest Service Gen. Tech. Rep. PSW-GTR-194. 95-105.
- Lewis, J., R. Eads., and R. Klein. 2007. Comparisons of Turbidity Data Collected with Different Instruments. Report on a Cooperative Agreement Between the California Department of Forestry and Fire Protection and USDA Forest Service--Pacific Southwest Research Station (PSW Agreement # 06-CO-11272133-041).
- Lewis, J., S. R. Mori, E. T. Keppeler, and R. R. Ziemer. 2001. Impacts of logging on storm peak flows, flow volumes and suspended sediment loads in Caspar Creek, California. Pages 85-125, in: Mark S. Wigmosta and Steven J. Burges (eds.) *Land Use and Watersheds: Human Influence on Hydrology and Geomorphology in Urban and Forest Areas*. Water Science and Application Volume 2, American Geophysical Union, Washington, D.C.
- Lorimer, C.G., D.J. Porter, M.A. Madej, J.D. Stuart, S.D. Veirs Jr., S.P. Norman, K.L. O'Hara, and W.L. Libby. 2009. Presettlement and modern disturbance regimes in coast redwood forests: Implications for the conservation of old-growth stands. *Forest Ecology and Management* 258 (2009) 1038–1054.
- Lowrance, R.R., R. Leonard, and J. Sheridan. 1985. Managing riparian ecosystems to control nonpoint pollution. *Journal of Soil and Water Conservation* 40:87-91.
- MacDonald, L.H., Smart, A.W., and Wissmar, R.F. 1991. *Monitoring Guidelines to Evaluate Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska*. Seattle, University of Washington.
- McCammon, B. 1993. Determining the risk of cumulative watershed effects resulting from multiple activities - Endangered Species Act Section 7. Unpublished. U S. Department of Agriculture, Forest Service, Portland, Oregon.
- McHenry, M. L., D. C. Morrill, and E. Currence. 1994. Spawning gravel quality, watershed characteristics and early life history survival of coho salmon and steelhead in five North Olympic Peninsula watersheds. Washington Department of Ecology. Port Angeles, WA . 59 pp.
- McNeil, W. J. and W. H. Ahnell. 1964. Success of Pink Spawning Relative to Size of Spawning Bed Material. U.S. Fish and Wildlife Service, Special Scientific Report - Fisheries No. 469. Washington, D.C. 17 p.

Chapter 8: List of References

- Madej, Mary Ann. 1999. Time, space, and rates of change in channel monitoring. *In*: R. N. Taylor (Ed.), Using streamgeomorphic characteristics as a long-term monitoring tool to assess watershed function: a workshop. Co-sponsored by Fish, Farm, Forests, and Farm Communities Forum, Simpson Timber Company, National Marine Fisheries Service, U.S. Environmental Protection Agency, Forest Science Project, and the AmeriCorp Watershed Stewards Program. Arcata, CA.
- Mattole Restoration Council. 2005. Mattole Watershed Plan. Chapter 5 - Sediment. 51 p.
- McLaughlin, R.J., S.D. Ellen, M.C. Blake, Jr., A.S. Jayko, W.P. Irwin, K.R. Aalto, G.A. Carver, and S.H. Clarke, Jr. 2000. Geology of the Cape Mendocino, Eureka, Garberville, and Southwestern part of the Hayfork 30 x 60 Minute Quadrangles and Adjacent Offshore Area, Northern California. Miscellaneous Field Studies MF-2336, Version 1.0. [<http://wrgis.wr.usgs.gov/map-mf/mf2336/ceghmf.pdf>].
- Meehan, W. R., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19.
- Mendocino Resource Conservation District (MRCD). 1994. Handbook for Forest and Ranch Roads. Fort Bragg, CA.
- Mensch, J., R. Nebon, S. Mansfield, and D. Tuttle. 1977. Van Duzen River waterway management plan. *CA Resources Agency*, Department Fish & Game. 65 p.
- Montgomery, D. R. and J. M. Buffington, 1993. Channel classification, prediction of channel response, and assessment of channel condition. TFW-SH10-93-002. Prepared for the SHAMW committee of the Washington State Timber/Fish/Wildlife Agreement. Seattle, WA. 110 pp.
- Montgomery, D. R. and W. E. Dietrich. 1994. A physically based model for the topographic control on shallow landsliding. *Water Resources Research*, Vol.30, No.4. April 1994. Pages 1153-1171.
- Moore, D. 1999. Yager/Van Duzen Historical Narratives. Prepared for the Humboldt County Resource Conservation District. Humboldt County, California.
- Moring, J. R. 1982. Decrease in stream gravel permeability after clear-cut logging: an indication of intragravel conditions for developing salmonid eggs and alevins. *Hydrobiologia*. Springer Netherlands. 88: 295-298.
- Moyle, P.B., J. A. Israel, and S. E. Purdy. 2008. Salmon, Steelhead, and Trout in California: Status of an Emblematic Fauna. Commissioned by California Trout. 316 pp.

Chapter 8: List of References

- Murphy, G. I. and J. W. DeWitt. 1952. Notes on the fishes and the fishery of the lower Eel River, Humboldt County, California. CDFG, Inland Fisheries, Redding, CA. 30 p.
- Nelson, E. J., and D. B. Booth. 2002. Sediment budget of a mixed-land use, urbanizing watershed. *Journal of Hydrology* 264: 51-68.
- Naiman, R.J., T.J. Beechie, L.E. Benda, D.R. Berg, P.A. Bison, L.H. MacDonald, M.D. O'Connor, P.L. Olson, and E.A. Steel. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. *In Watershed management -- Balancing sustainability and environmental change*. R.S. Naiman, ed. Pgs. 127-188. Springer-Verlag, N.Y.
- Naiman, R.J., H. Décamps, and M. Pollock. 1993. The role of riparian corridors in maintaining regional biodiversity. *Ecological Applications* 3:209-212.
- Newcombe, C.P. and D.D. MacDonald. 1991. Effects of suspended sediments on aquatic ecosystems. *North American Journal of Fisheries Management* 11:73-82, 1991.
- National Marine Fisheries Service (NMFS) 1995. Endangered Species Act Section 7 Biological Opinion on the Land and Resource Management Plans for the Boise, Challis, Nez Perce, Payette, Salmon, Sawtooth, Umatilla, and Wallowa-Whitman National Forests. Memo to USFS Regional Foresters on March 1, 1995. NMFS, National Oceanic and Atmospheric Administration, Northwest Region, Seattle, WA. 138 p.
- National Marine Fisheries Service (NMFS). 1996. Coastal Salmon Conservation: Working Guidance for Comprehensive Salmon Restoration Initiatives on the Pacific Coast. 5 pp.
- National Marine Fisheries Service (NMFS). 1997. Endangered and Threatened Species. Threatened Status for Southern Oregon/Northern California Coast Evolutionarily Significant Unit (ESU) of Coho Salmon. National Oceanic and Atmospheric Administration, Federal Register 50 CFR Part 227, (Docket No. 950407093-6298-03; I.D. 012595A). May 6, 1997.
- National Marine Fisheries Service (NMFS). 1999. Threatened Status for Two Chinook Salmon Evolutionarily Significant Units (ESUs) in California. Federal Register 64 FR 50394; September 16, 1999.
- National Marine Fisheries Service (NMFS). 2000. Salmonid guidelines for forestry practices in California. NMFS, Southwest Region. Long Beach, CA.
- National Marine Fisheries Service (NMFS). 2001. Status Review Update for Coho Salmon (*Oncorhynchus kisutch*) from the Central California Coast and the California portion of the Southern Oregon/Northern California Coasts Evolutionarily Significant Units. Southwest Fisheries Science Center, Santa Cruz, CA. 43 p.

Chapter 8: List of References

- National Marine Fisheries Service (NMFS). 2005. Endangered and threatened species: final listing determinations for 16 ESUs of West Coast Salmon, and final 4(d) protective regulations for threatened salmonid ESUs. Federal Register, 70: 37160-37204.
- National Marine Fisheries Service (NMFS). 2008. Biological Opinion for ESA Section 7 Consultation on Water Supply, Flood Control Operations, and Channel Maintenance conducted by the U.S. Army Corps of Engineers, the Sonoma County Water Agency, and the Mendocino County Russian River Flood Control and Water Conservation Improvement District in the Russian River watershed. Santa Rosa, CA. 386 p.
- Nawa, R. K. and C. A. Frissell. 1993. Measuring scour and fill of gravel stream beds with scour chains and sliding bead monitors. No. American J. of Fisheries Management. 13: 634-639.
- Newcombe, C.P. 2003. Impact Assessment Model for Clear Water Fishes Exposed to Excessively Cloudy Water. Journal of the American Water Resources Association. Pages 529 – 544.
- Newcombe, C.P. and D.D. MacDonald. 1991. Effects of Suspended Sediments on Aquatic Ecosystems. North American Journal of Fisheries Management. 11: 72-82.
- North Coast Regional Water Quality Control Board (NCRWQCB). 1996. Water Quality Control Plan for the North Coast Region (Basin Plan). As amended through 2004.
- North Coast Regional Water Quality Control Board. 2001. Water Quality Control Plan for the North Coast Region. Staff report adopted by the North Coast Regional Water Quality Control Board on June 28, 2001. Santa Rosa, CA. 124 p.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2002. Mattole River Watershed: Technical Support Document for the Total Maximum Daily Load for Sediment and Technical Support Document for the Total Maximum Daily Load for Temperature. Appendix I: Tectonic uplift and mass wasting in the Mattole watershed.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2004. Salmonid freshwater habitat targets for sediment-related parameters. Santa Rosa, CA.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2005. Watershed Planning Chapter – Watershed Management Initiative. Santa Rosa, CA.
- North Coast Regional Water Quality Control Board. 2006. Desired Salmonid Freshwater Habitat Conditions for Sediment Related Indices. NCRWQCB, Santa Rosa, CA. 60 p.
- North Coast Regional Water Quality Control Board, 2007. Water Quality Control Plan for the North Coast Region. Santa Rosa, California.

Chapter 8: List of References

- Northwest Power Planning Council (NPPC). 2000. Return to the River. NPPC, Portland, OR.
- Oregon Department of Environmental Quality (ODEQ). 2005. Draft Technical Basis for Revising Turbidity Criteria. October 2005. By Tom Rosetta, ODEQ Watershed Assessment Lab, Portland, OR. 129 p.
- Orr, B. K. 1997. Ecosystem health and salmon restoration: a broader perspective. Pages 575-580. *In: S. S. Y. Wang, ed. Environmental and coastal hydraulics: protecting the aquatic habitat. Volume 1: Proceedings of Theme B. Water for a changing global community. The 27th Congress of the International Association for Hydraulic Research. American Society of Civil Engineers, New York.*
- Orr, B.K., W.E. Dietrich, and F.K. Ligon. 2000. Overview of the Stillwater Sciences approach to sediment and temperature TMDLs and salmonid restoration. Stillwater Sciences and UC Berkeley at "California Watersheds 2000: the TMDL Challenge." UC Davis Extension, Land Use and Natural Resources Program. Davis, CA.
- Overton, C. K., M. A. Radko, and R. L. Nelson. 1993. Fish habitat conditions: using the Northern/Intermountain Region's inventory procedures for detecting differences on two differently managed watersheds. Gen. Tech. Rep. INT-300. US Department of Agriculture, Forest Service, Intermountain Research Station. Ogden, UT. 14 pp.
- Pacific Lumber Company (PL). 1998. Sustained yield plan/habitat conservation plan: watershed and fish-and wildlife assessments. Volume II, Public Review Draft. Scotia, CA.
- Pacific Lumber Company (PL). 1999. Habitat conservation plan for the properties of the Pacific Lumber Company, Scotia Pacific Holding Company, and Salmon Creek Corporation. Scotia, CA.
- Pacific Lumber Company (PL). 2001. Freshwater Creek Watershed Analysis. Pacific Lumber Company, Scotia, CA.
- Pacific Watershed Associates (PWA). 1998. Sediment Source Investigation and Sediment Reduction Plan for the Bear Creek Watershed, Humboldt County, California. Prepared for The Pacific Lumber Company Scotia, California. Arcata, California. 57 pp.
- Pacific Watershed Associates. 1999. Sediment source investigation for the Van Duzen River watershed. Prepared for *Tetra Tech, Inc. and the U.S. Environmental Protection Agency.* Arcata, CA.
- Peterson, N .P., A. Hendry, and T. P. Quinn. 1992. Assessment of cumulative effects on salmonid habitat: Some suggested parameters and target conditions. Prepared for the Washington State Dept. of Natural Resources under the Timber, Fish, and Wildlife Agreement TFW-F3-92-001.

Chapter 8: List of References

- Plafkin, J. L., M. T. Barbour, K. D. Porter, S. K. Gross, and R. M. Hughes. 1989. Rapid Bioassessment Protocols for Use in Streams and Rivers. Benthic Macroinvertebrates and Fish. EPA 440-4-89-001. Office of Water Regulation and Standards, U.S. Environmental Protection Agency, Washington, D.C.
- Poole, G. C., and C. H. Berman. 2000. Pathways of Human Influence on Water Temperature Dynamics in Stream Channels. U.S. Environmental Protection Agency, Region 10. Seattle, WA. 20 p.
- Poole, G.C. and C.H. Berman. 2001. An Ecological Perspective on In-Stream Temperature: Natural Heat Dynamics and Mechanisms of Human-Caused Thermal Degradation. *Environmental Management* Vol. 27, No. 6, pp. 787–802. DOI: 10.1007/s002670010188.
- Poole, G.C., C.A. Frissell and S.C. Ralph. 1997. In-stream habitat unit classification: Inadequacies for monitoring and some consequences for management. *Journal of the American Water Resources Association*. Vol 33, No.4. August 1997.
- Reeves, G. H., F. H. Everest, and T. E. Nickelson. 1989. Identification of physical habitats limiting the production of coho salmon in western Oregon and Washington. Gen. Tech. Rep. PNW-GTR-245. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 18 p.
- Reeves, G. H., F. H. Everest, and J. R. Sedell. 1993. Diversity of Juvenile Anadromous Salmonid Assemblages in Coastal Oregon Basins with Different Levels of Timber Harvest. *Transactions of the American Fisheries Society*. 122(3): 309-317.
- Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson, and J.R. Sedell. 1995. A Disturbance-Based Ecosystem Approach to Maintaining and Restoring Freshwater Habitats of Evolutionarily Significant Units of Anadromous Salmonids in the Pacific Northwest. *American Fisheries Society Symposium* 17:334-349, 1995.
- Reeves, G. H., K. M. Burnett, and E. V. McGarry. 2003. Sources of large wood in the main stem of a fourth-order watershed in coastal Oregon. *Can. J. For. Res.* 33: 1363–1370.
- Rehn, A. C, P. R. Ode, and J. T. May. 2005. Development of a benthic index of biotic integrity (B-IBI) for wadeable streams in northern coastal California and its application to regional 305(b) assessment. DRAFT REPORT, California Dept. of Fish and Game Aquatic Bioassessment Lab. Rancho Cordova, CA.
- Richards, A. B and D. C. Rogers. 2006. List of Macroinvertebrate Taxa from California and Adjacent States and Ecoregions; and Standard Taxonomic Effort. (First circulating draft). Southwestern Association of Freshwater Macroinvertebrate Taxonomists.

Chapter 8: List of References

- Rieman, B., D. Lee, J. McIntyre, K. Overton, and R. Thurow 1993. Consideration of Extinction Risks for Salmonids. As FHR Currents # 14. US Forest Service, Region 5. Eureka, CA. 12 pp.
- SAS Institute. 1985. SAS user's guide, statistics. SAS Institute, Cary, NC.
- Satterlund, D. R. and P. W. Adams. 1992. Wildland Watershed Management. 2nd edition. John Wiley and Sons Inc., New York.
- Schlösser, I.J. 1991. Stream fish ecology: a landscape perspective. *Bioscience* 41(10):704-712.
- Schuett-Hames, D., A. Pleus, J. Ward, M. Fox, and J. Light. 1999. TFW Monitoring Program method manual for the large woody debris survey. Prepared for the Washington State Dept. of Natural Resources under the Timber, Fish, and Wildlife Agreement. TFW-AM9-99-004. DNR #106. Seattle, WA. 66 pp.
- Sedell, J. R., P. A. Bisson, E. J. Swanson, and S. V. Gregory. 1988. What we know about large trees that fall into streams and rivers. Pages 47-81 in C. Maser, R. F. Tarrant, J. M. Trappe, and J. E. Franklin, *From the forest to the sea: a story of fallen trees*. U.S. Forest Service General Technical Report PNW-GTR-229.
- Shirazi, M. A., and W. K. Seim. 1979. A stream system evaluation - an emphasis on spawning habitat for salmonids. U.S. Environmental Protection Agency, EPA -600/3-79-109. Corvallis Research Laboratory. Corvallis, OR. 36 p.
- Sigler, J. W., T. C. Bjornn and F. H. Everest. 1984. Effects of Chronic Turbidity on Density of Steelheads and Coho Salmon. *Transactions of the American Fisheries Society*, 113: 142-150.
- Simpson, G. D. and M. A. Roberts. 2008. Yager and Lawrence Creek Watershed Analysis, Mass wasting assessment. Public Draft Report. SHN Consulting Engineers & Geologists, Inc. Eureka, CA.
- Soulé, M. E. 1987. Where do we go from here? Pages 175-183 in M.E. Soulé, editor. *Viable Populations for Conservation*. Cambridge University Press, Cambridge, England.
- Spence, B.C., G.A. Lomnický, R.M. Hughes and R. P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Funded jointly by the U.S. EPA, U.S. Fish and Wildlife Service and National Marine Fisheries Service. TR-4501 96-6057. Man. Tech. Environmental Research Services Corp., Corvallis, OR. 356 p.
- Stillwater Sciences. 1999. South Fork Eel TMDL. Sediment source analysis. Prepared for *Tetra Tech Inc.*, Fairfax, VA. 65 p.

Chapter 8: List of References

- Stonestrom, D.A. and J.E. Constantz. 2010. Using Temperature to Study Stream-Ground Water Exchanges. U.S. Geologic Survey Fact Sheet 2004–3010. February 2004.
- Sullivan, K., D. J. Martin, R. D. Cardwell, J. E. Toll, and S. Duke. 2000. An analysis of the effects of temperature on salmonids of the Pacific Northwest with implications for selecting temperature criteria. Sustainable Ecosystems Institute . Portland, OR. 192 pp.
- Summerfield, M. A., and N. J. Hulton. 1994. Natural controls of fluvial denudation rates in major world drainage basins. *Journal of Geophysical Research* 99(7): 13,871-13,883.
- Swanson, F. J., L. E. Benda, S. H. Duncan, Grant, G. E. Grant, W. F. Megahan, L. M. Reid, and R. R. Ziemer. 1987. Mass failures and other processes of sediment production in Pacific northwest forest landscapes. *In*: E. O. Salo and T. Cundy (ed.), *Streamside Management: Forestry and Fishery Interactions*, Proceedings of a Symposium held at University of Washington, 12-14 February 1986. Contribution no. 57, Institute of Forest Resources, Seattle, WA. Chapter Two, p. 9-38.
- Swanson, F. J., S.L. Johnson, S. V. Gregory and S. A. Acker. 1998. Flood disturbance in a forested mountain landscape. *Bioscience* 48: 681-689. doi:10.2307/1313331.
- Tetra Tech, Inc. 2002a. Van Duzen River watershed analysis – public review draft. Prepared for the Pacific Lumber Company.
- Tetra Tech, Inc. 2002b. Van Duzen River watershed analysis – final report. Prepared for the Pacific Lumber Company.
- Thornburgh, D. A., R. F. Noss, D. P. Angelides, C. M. Olson, F. Euphrat, and H. H. Welsh Jr. 2000. Managing redwoods. *In*, Noss, R. F., ed. *The Redwood Forest: history, ecology, and conservation of the coast redwoods. Save the Redwoods League*. Island Press, Washington, D.C. 372 p.
- Trush, W. J. 2005. Chronic turbidity and stream flow diversion effects on salmon habitat loss. Citizens for Responsible Forest Management. Healthy Rivers, Happy Fish Watershed Conference - Valley Women's Club of SLV Lompico Watershed Conservancy. Santa Cruz, CA.
- U.S. Department of Interior. 1998. Fish & Wildlife Service Announcement, Notice of Extension of Comment Period; Request for Public Comment on Potential Incidental Take Permit Provisions and Draft Habitat Conservation Plan Errata.
- U.S. Department of Interior. 1999. Fish & Wildlife Service Announcement, notice of Availability of Final Environmental Impact Statement/Environmental Impact Report and

Chapter 8: List of References

Habitat Conservation Plan/ Sustained Yield Plan for the Pacific Lumber Company
Headwaters Forest Project, Federal Register.

U.S. Environmental Protection Agency (USEPA). 1986. Quality Criteria for Water. EPA 440/5-86-001. *U.S. Government Printing Office, Washington, D.C.*

U.S. Environmental Protection Agency (USEPA). 1998. Total maximum daily loads for sediment, Redwood Creek, CA. 54 p.

U.S. Environmental Protection Agency (USEPA). 1999. Van Duzen River and Yager Creek Total Maximum Daily Load for Sediment. *EPA Publication. Region IX.*

U.S. Environmental Protection Agency (USEPA). 2003. EPA Region 10 Guidance for Pacific Northwest State and Tribal Temperature Water Quality Standards. EPA Project # 910-B-03-002. Region 10 U.S. EPA, Seattle WA. 57 p.

U.S. Environmental Protection Agency (USEPA). 2005. Handbook for developing watershed plans to restore and protect our waters. Washington, DC.

USDA and USDI. 1994. Record of decision for amendments to forest service and bureau of land management planning documents within the range of the northern spotted owl. April 1994.

U.S. Fish and Wildlife Service. 1960. Survey of chinook salmon spawning habitat in northwestern California Natural Resources of Northern California. US Fish and Wildlife Service, Pacific Southwest Field Committee, Sacramento, CA.

U.S. Forest Service (USFS). 1996. Status of the Interior Columbia Basin: summary of scientific findings. Gen. Tech. Rep. PNW GTR-385. Portland, OR: *U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station*; U.S. Department of the Interior, Bureau of Land Management. 144 p.

U.S. Forest Service (USFS). 1998a. Elk River watershed analysis. Iteration 2.0. USFS, Pacific Northwest Region. Siskiyou National Forest. Powers Ranger District. Powers, OR. 192 pp.

U.S. Forest Service (USFS). 1998b. Van Duzen Watershed Analysis. Six Rivers National Forest. Eureka, CA.

Van Duzen Watershed Project (VDWP). 2007. Unpublished Annual Monitoring Report October 2007 to the CA Water Quality Control Board. *Toward a Working TMDL: A Watershed Plan for the Van Duzen River Basin.* Friends of the Eel River. Sausalito, CA.

Van Kirk, S. 1996. Compendium of excerpts of newspaper articles from 1852-1949 regarding fisheries, rivers, and land use. On file in the Humboldt Room of the Library, Humboldt State University.

Chapter 8: List of References

- Weaver, W., and D. Hagans. 1996. Sediment treatments and road restoration: Protecting and restoring watersheds from sediment-related impacts. In *Healing the Watershed: A Guide to the Restoration of Watersheds and Native Fish in the West*. Pacific Rivers Council, Inc., July, 1996.
- Welsh, H. H., G. R. Hodgson, M. F. Roche, B. C. Harvey. 2001. Distribution of Juvenile Coho Salmon (*Oncorhynchus kisutch*) in Relation to Water temperature in Tributaries of a Northern California Watershed: Determining Management Thresholds for an Impaired Cold-water Adapted Fauna. August 2000 North American Journal of Fisheries Management. U.S.D.A. Forest Service, Redwood Sciences.
- Williams, T.H., E.P. Bjorkstedt, W.G. Duffy, D. Hillemeier, G. Kautsky, T.E. Lisle, M. McCain, M. Rode, R.G. Szerlong, R.S. Schick, M.N. Goslin and A. Agrawal. 2006. Historical population structure of coho salmon in the southern Oregon/northern California evolutionarily significant unit. NOAA-TM-NMFS-SWFSC-390. NMFS, Southwest Fisheries Science Center, Santa Cruz, CA. 85 p.
- Wimberly, M. C., T. A. Spies, C. J. Long, and C. Whitlock. 2000. Simulating historical variability in the amount of old forests in the Oregon Coast Range. *Conservation Biology* 14:167-180.
- Winzler and Kelly Engineers. 1980. Yager Creek Fishery Habitat Investigation, Humboldt County, CA. Performed under contract to Pacific Lumber Co. Winzler and Kelly Engineers, Eureka, CA.
- Wisseman, R. W. 1996. Benthic Invertebrate Biomonitoring and Bioassessment in Western Montane Streams. Aquatic Biology Associates, Inc., Corvallis, Oregon.
- Yount, J.D., and G.J. Niemi. 1990. Recovery of lotic communities and ecosystems from disturbance – a narrative review of case studies. *Environmental Management* 14(5):547-569.
- Ziemer, R.R. 1992. Effect of logging on subsurface pipeflow and erosion: coastal northern California, USA. *In*: Walling, D.E.; Davies, T.R.; Hasholt, B., eds. Erosion, debris flows and environment in mountain regions, Proceedings of the Chendu symposium; 1992 July 5-9; Chendu, China. International Association of Hydrological Sciences Publication No. 209. Wallingford, UK: IAHS; 187-197.
- Ziemer, R. R., J. Lewis, and E.T. Keppeler. 1998. Streamflow and sediment response to logging, California, USA. Pages 103-104, *in*: Proceedings, IUFRO Division 8 Conference, Environmental Forest Science, 19-23 October 1998, Kyoto, Japan.

Chapter 8: List of References

Ziemer, Robert. 2000. Hydrologic effects of forest harvest in northwestern California, USA. Pages 337-338, *in*: Proceedings of Summary Papers, The XXI IUFRO World Congress; Forests and Society: The Role of Research, 7-12 August 2000, Kuala Lumpur, Malaysia. International Union of Forestry Research Organizations, Vienna, Austria.